* * * * * * * * * * Welcome to STN International * * * * * * * * * *

NEWS 1		Web Page for STN Seminar Schedule - N. America
NEWS 2	OCT 04	Precision of EMBASE searching enhanced with new chemical name field
NEWS 3	OCT 06	Increase your retrieval consistency with new formats or for Taiwanese application numbers in CA/CAplus.
NEWS 4	OCT 21	CA/CAplus kind code changes for Chinese patents increase consistency, save time
NEWS 5	OCT 22	New version of STN Viewer preserves custom highlighting of terms when patent documents are saved in .rtf format
NEWS 6	OCT 28	INPADOCDB/INPAFAMDB: Enhancements to the US national patent classification.
NEWS 7	NOV 03	New format for Korean patent application numbers in CA/CAplus increases consistency, saves time.
NEWS 8	NOV 04	Selected STN databases scheduled for removal on December 31, 2010
NEWS 9	NOV 18	PROUSDDR and SYNTHLINE Scheduled for Removal December 31, 2010 by Request of Prous Science
NEWS 10	NOV 22	Higher System Limits Increase the Power of STN Substance-Based Searching
NEWS 11	NOV 24	Search an additional 46,850 records with MEDLINE backfile extension to 1946
NEWS 12	DEC 14	New PNK Field Allows More Precise Crossover among STN Patent Databases
NEWS 13	DEC 18	ReaxysFile available on STN
NEWS 14	DEC 21	CAS Learning Solutions -- a new online training experience
NEWS 15	DEC 22	Value-Added Indexing Improves Access to World Traditional Medicine Patents in CAplus
NEWS 16	JAN 24	The new and enhanced DPCI file on STN has been released
NEWS 17	JAN 26	Improved Timeliness of CAS Indexing Adds Value to USPATFULL and USPAT2 Chemistry Patents
NEWS 18	JAN 26	Updated MeSH vocabulary, new structured abstracts, and other enhancements improve searching in STN reload of MEDLINE
NEWS 19	JAN 28	CABA will be updated weekly
NEWS 20	FEB 23	PCTFULL file on STN completely reloaded
NEWS 21	FEB 23	STN AnaVist Test Projects Now Available for Qualified Customers
NEWS 22	FEB 25	LPCI will be replaced by LDPCI
NEWS 23	MAR 07	Pricing for SELECTing Patent, Application, and Priority Numbers in the USPAT and IFI Database Families is Now Consistent with Similar Patent Databases on STN
NEWS 24	APR 26	Expanded Swedish Patent Application Coverage in CA/CAplus Provides More Current and Complete Information
NEWS 25	APR 28	The DWPI (files WPINDEX, WPIDS and WPIX) on STN have been enhanced with thesauri for the European Patent Classifications
NEWS 26	MAY 02	MEDLINE Improvements Provide Fast and Simple Access to DOI and Chemical Name Information

NEWS EXPRESS 17 DECEMBER 2010 CURRENT WINDOWS VERSION IS V8.4.2 .1,
AND CURRENT DISCOVER FILE IS DATED 24 JANUARY 2011.

NEWS HOURS STN Operating Hours Plus Help Desk Availability
NEWS LOGIN Welcome Banner and News Items

Enter NEWS followed by the item number or name to see news on that specific topic.

* * * * * * * * * * * * * * * * STN Columbus * * * * * * * * * * * * * * * *

FILE 'HOME' ENTERED AT 15:20:25 ON 05 MAY 2011

=> file caplus biosis
COST IN U.S. DOLLARS

	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.23	0.23

FILE 'CAPLUS' ENTERED AT 15:20:39 ON 05 MAY 2011
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2011 AMERICAN CHEMICAL SOCIETY (ACS)

FILE 'BIOSIS' ENTERED AT 15:20:39 ON 05 MAY 2011
Copyright (c) 2011 The Thomson Corporation

=> "HCV 1a" (L) mutant
L1 3 "HCV 1A" (L) MUTANT

=> HCV adj 1a
L2 0 HCV ADJ 1A

=> HCV (w) 1a
L3 147 HCV (W) 1A

=> NS5a (s) mutant
L4 100 NS5A (S) MUTANT

=> 2204 and L4
L5 0 2204 AND L4

=> 2204 and L3
L6 0 2204 AND L3

=> 2204 and L3
L7 0 2204 AND L3

=> 2204 and HCV
L8 6 2204 AND HCV

=> 1067 and HCV
L9 3 1067 AND HCV

=> 1691 and HCV
L10 8 1691 AND HCV

=> 1655 and HCV
L11 4 1655 AND HCV

=> 2080 and HCV
L12 3 2080 AND HCV

```
=> 2040 and HCV
L13            4 2040 AND HCV

=> 1188 and HCV
L14           10 1188 AND HCV

=> L8 and L9
L15            1 L8 AND L9

=> L8 and L10
L16            1 L8 AND L10

=> L8 and L11
L17            1 L8 AND L11

=> L8 and L12
L18            1 L8 AND L12

=> L8 and L13
L19            1 L8 AND L13

=> L8 and L14
L20            1 L8 AND L14

=> D L15 TBIB

L15  ANSWER 1 OF 1  CAPLUS  COPYRIGHT 2011 ACS on STN
```

Full Text | Find Reference &s

ACCESSION NUMBER: 2005:523226 CAPLUS
DOCUMENT NUMBER: 143:54458
TITLE: Replication competent hepatitis C virus genotype 1a with adaptive mutations and methods of use for drug screening and selection of host cell line
INVENTOR(S): Lemon, Stanley M.; Yi, Minkyung
PATENT ASSIGNEE(S): Board of Regents, the University of Texas System, USA
SOURCE: PCT Int. Appl., 102 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005053516	A2	20050616	WO 2004-US40120	20041201
WO 2005053516	A3	20051229		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

EP 1694694	A2	20060830	EP 2004-812596	20041201

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,

IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS
US 20070292840 A1 20071220 US 2007-580979 20070409
PRIORITY APPLN. INFO.: US 2003-525989P P 20031201
WO 2004-US40120 W 20041201
ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)
REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> L16 IBIB ABS
MISSING OPERATOR L16 IBIB
The search profile that was entered contains terms or
nested terms that are not separated by a logical operator.

=> D L16 IBIB ABS

L16 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2011 ACS on STN
Full Text | String References

ACCESSION NUMBER: 2005:523226 CAPLUS
DOCUMENT NUMBER: 143:54458
TITLE: Replication competent hepatitis C virus genotype 1a with adaptive mutations and methods of use for drug screening and selection of host cell line
INVENTOR(S): Lemon, Stanley M.; Yi, Minkyung
PATENT ASSIGNEE(S): Board of Regents, the University of Texas System, USA
SOURCE: PCT Int. Appl., 102 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005053516	A2	20050616	WO 2004-US40120	20041201
WO 2005053516	A3	20051229		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1694694	A2	20060830	EP 2004-812596	20041201
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
US 20070292840	A1	20071220	US 2007-580979	20070409
PRIORITY APPLN. INFO.:			US 2003-525989P	P 20031201
			WO 2004-US40120	W 20041201

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT
AB The invention provides replication competent polynucleotides that include a coding sequence encoding a hepatitis C virus polyprotein having adaptive mutations. The genotype 1a adaptive mutations identified here can be

grouped functionally into two groups: K2040R, F2080V, and S2204I, which are all located within NS5A, and Q1067R, G1188R, V1655I, and K1691R (in NS4A), which are all located in or assocd. with the protease domain of NS3. These NS3 and NS4A mutations are located at some distance from other genotype 1a adaptive mutations in NS3 that were previously described. The contribution of the NS5A adaptive mutations to the replication of genotype 1a RNA appears to be additive to that of the NS3/4A mutations and not synergistic as shown for the combination of Q1067R and K1691R. The invention also includes methods for making replication competent polynucleotides, identifying a compd. that inhibits replication of a replication competent polynucleotide, selecting a replication competent polynucleotide, and detecting a replication competent polynucleotide.

OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> D L17 IBIB ABS

L17 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2011 ACS on STN

Full Text | Citing References

ACCESSION NUMBER: 2005:523226 CAPLUS
DOCUMENT NUMBER: 143:54458
TITLE: Replication competent hepatitis C virus genotype 1a with adaptive mutations and methods of use for drug screening and selection of host cell line
INVENTOR(S): Lemon, Stanley M.; Yi, Minkyung
PATENT ASSIGNEE(S): Board of Regents, the University of Texas System, USA
SOURCE: PCT Int. Appl., 102 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005053516	A2	20050616	WO 2004-US40120	20041201
WO 2005053516	A3	20051229		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

EP 1694694	A2	20060830	EP 2004-812596	20041201

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS

US 20070292840	A1	20071220	US 2007-580979		20070409
PRIORITY APPLN. INFO.:			US 2003-525989P	P	20031201
			WO 2004-US40120	W	20041201

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

AB The invention provides replication competent polynucleotides that include

a coding sequence encoding a hepatitis C virus polyprotein having adaptive mutations. The genotype 1a adaptive mutations identified here can be grouped functionally into two groups: K2040R, F2080V, and S2204I, which are all located within NS5A, and Q1067R, G1188R, V1655I, and K1691R (in NS4A), which are all located in or assocd. with the protease domain of NS3. These NS3 and NS4A mutations are located at some distance from other genotype 1a adaptive mutations in NS3 that were previously described. The contribution of the NS5A adaptive mutations to the replication of genotype 1a RNA appears to be additive to that of the NS3/4A mutations and not synergistic as shown for the combination of Q1067R and K1691R. The invention also includes methods for making replication competent polynucleotides, identifying a compd. that inhibits replication of a replication competent polynucleotide, selecting a replication competent polynucleotide, and detecting a replication competent polynucleotide.

OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> D L18 1BIB ABS

L18 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2011 ACS on STN

Full Text | Citing References

ACCESSION NUMBER: 2005:523226 CAPLUS
DOCUMENT NUMBER: 143:54458
TITLE: Replication competent hepatitis C virus genotype 1a with adaptive mutations and methods of use for drug screening and selection of host cell line
INVENTOR(S): Lemon, Stanley M.; Yi, Minkyung
PATENT ASSIGNEE(S): Board of Regents, the University of Texas System, USA
SOURCE: PCT Int. Appl., 102 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005053516	A2	20050616	WO 2004-US40120	20041201
WO 2005053516	A3	20051229		
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW				
RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
EP 1694694	A2	20060830	EP 2004-812596	20041201
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS				
US 20070292840	A1	20071220	US 2007-580979	20070409
PRIORITY APPLN. INFO.:			US 2003-525989P	P 20031201
			WO 2004-US40120	W 20041201

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

AB The invention provides replication competent polynucleotides that include a coding sequence encoding a hepatitis C virus polyprotein having adaptive mutations. The genotype 1a adaptive mutations identified here can be grouped functionally into two groups: K2040R, F2080V, and S2204I, which are all located within NS5A, and Q1067R, G1188R, V1655I, and K1691R (in NS4A), which are all located in or assocd. with the protease domain of NS3. These NS3 and NS4A mutations are located at some distance from other genotype 1a adaptive mutations in NS3 that were previously described. The contribution of the NS5A adaptive mutations to the replication of genotype 1a RNA appears to be additive to that of the NS3/4A mutations and not synergistic as shown for the combination of Q1067R and K1691R. The invention also includes methods for making replication competent polynucleotides, identifying a compd. that inhibits replication of a replication competent polynucleotide, selecting a replication competent polynucleotide, and detecting a replication competent polynucleotide.

OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> D L19 IBIB ABS

L19 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2011 ACS on STN

Full Text | Citing References

ACCESSION NUMBER: 2005:523226 CAPLUS
DOCUMENT NUMBER: 143:54458
TITLE: Replication competent hepatitis C virus genotype 1a with adaptive mutations and methods of use for drug screening and selection of host cell line
INVENTOR(S): Lemon, Stanley M.; Yi, Minkyung
PATENT ASSIGNEE(S): Board of Regents, the University of Texas System, USA
SOURCE: PCT Int. Appl., 102 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005053516	A2	20050616	WO 2004-US40120	20041201
WO 2005053516	A3	20051229		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

EP 1694694	A2	20060830	EP 2004-812596	20041201

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS

US 20070292840	A1	20071220	US 2007-580979	20070409

PRIORITY APPLN. INFO.: US 2003-525989P P 20031201
WO 2004-US40120 W 20041201

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

AB The invention provides replication competent polynucleotides that include a coding sequence encoding a hepatitis C virus polyprotein having adaptive mutations. The genotype 1a adaptive mutations identified here can be grouped functionally into two groups: K2040R, F2080V, and S2204I, which are all located within NS5A, and Q1067R, G1188R, V1655I, and K1691R (in NS4A), which are all located in or assocd. with the protease domain of NS3. These NS3 and NS4A mutations are located at some distance from other genotype 1a adaptive mutations in NS3 that were previously described. The contribution of the NS5A adaptive mutations to the replication of genotype 1a RNA appears to be additive to that of the NS3/4A mutations and not synergistic as shown for the combination of Q1067R and K1691R. The invention also includes methods for making replication competent polynucleotides, identifying a compd. that inhibits replication of a replication competent polynucleotide, selecting a replication competent polynucleotide, and detecting a replication competent polynucleotide.

OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> D L20 TRIB ABS

L20 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2011 ACS on STN

Full Text | Citing References

ACCESSION NUMBER: 2005:523226 CAPLUS
DOCUMENT NUMBER: 143:54458
TITLE: Replication competent hepatitis C virus genotype 1a with adaptive mutations and methods of use for drug screening and selection of host cell line
INVENTOR(S): Lemon, Stanley M.; Yi, Minkyung
PATENT ASSIGNEE(S): Board of Regents, the University of Texas System, USA
SOURCE: PCT Int. Appl., 102 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: English
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2005053516	A2	20050616	WO 2004-US40120	20041201
WO 2005053516	A3	20051229		

W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW

RW: BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IS, IT, LT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG

EP 1694694	A2	20060830	EP 2004-812596	20041201

R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,

IE, SI, LT, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK, IS

US 20070292840	A1	20071220	US 2007-580979		20070409
PRIORITY APPLN. INFO.:			US 2003-525989P	P	20031201
			WO 2004-US40120	W	20041201

ASSIGNMENT HISTORY FOR US PATENT AVAILABLE IN LSUS DISPLAY FORMAT

AB The invention provides replication competent polynucleotides that include a coding sequence encoding a hepatitis C virus polyprotein having adaptive mutations. The genotype 1a adaptive mutations identified here can be grouped functionally into two groups: K2040R, F2080V, and S2204I, which are all located within NS5A, and Q1067R, G1188R, V1655I, and K1691R (in NS4A), which are all located in or assocd. with the protease domain of NS3. These NS3 and NS4A mutations are located at some distance from other genotype 1a adaptive mutations in NS3 that were previously described. The contribution of the NS5A adaptive mutations to the replication of genotype 1a RNA appears to be additive to that of the NS3/4A mutations and not synergistic as shown for the combination of Q1067R and K1691R. The invention also includes methods for making replication competent polynucleotides, identifying a compd. that inhibits replication of a replication competent polynucleotide, selecting a replication competent polynucleotide, and detecting a replication competent polynucleotide.

OS.CITING REF COUNT: 4 THERE ARE 4 CAPLUS RECORDS THAT CITE THIS RECORD (6 CITINGS)

REFERENCE COUNT: 2 THERE ARE 2 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=>